



Pneumatic Break Steel

Point	Shank Size		Length		Part No.	Weight
	mm	in	mm	in		Kg
	22x82.5 22x108	7/8" x 31/4" 7/8" x 41/4"	355	14"	MP2201-355	1.55
			457	18"	MP2201-457	1.9
			609	24"	MP2201-609	2.41
			914	36"	MP2201-914	3.43
	25x108	1" x 41/4"	355	14"	MP2501-355	1.99
			457	18"	MP2501-457	2.42
			609	24"	MP2501-609	3.08
			914	36"	MP2501-914	4.47
			1219	48"	MP2501-1219	5.7
			1524	60"	MP2501-1524	7.01
	28x152	1 1/8" x 6"	1828	72"	MP2501-1828	8.32
			355	14"	MP2801-355	2.72
			457	18"	MP2801-457	3.24
			609	24"	MP2801-609	4.05
			914	36"	MP2801-914	5.68
			1219	48"	MP2801-1219	7.3
	32x152 (32x160)	1 1/4" x 6" 1 1/4" x 6 1/3"	1524	60"	MP2801-1524	8.93
			1828	72"	MP2801-1828	10.55
			355	14"	MP3201-355	3.93
			457	18"	MP3201-457	4.08
			609	24"	MP3201-609	6.43
914			36"	MP3201-914	7.08	
1219			48"	MP3201-1219	9.1	
1524	60"	MP3201-1524	11.11			
1828	72"	MP3201-1828	13.12			

Chisel	Shank Size		Length		Part No.	Weight	
	mm	in	mm	in		Kg	
	22x82 22x108	7/8" x 31/4" 7/8" x 41/4"	355	14"	MP2202-355	1.55	
			457	18"	MP2202-457	1.9	
			609	24"	MP2202-609	2.41	
			914	36"	MP2202-914	3.43	
	25x108	1" x 41/4"	355	14"	MP2502-355	1.99	
			457	18"	MP2502-457	2.42	
			609	24"	MP2502-609	3.08	
			914	36"	MP2502-914	4.4	
			1219	48"	MP2502-1219	5.7	
			1524	60"	MP2502-1524	7.01	
	28x152 28x160	11/8" x 6" 11/8" x 61/3"	355	14"	MP2802-355	2.72	
			457	18"	MP2802-457	3.24	
			609	24"	MP2802-609	4.06	
			914	36"	MP2802-914	5.68	
			1219	48"	MP2802-1219	7.3	
			1524	60"	MP2802-1524	8.93	
	32x152 32x160	11/4" x 6" 11/4" x 61/3"	355	14"	MP3202-355	3.39	
			457	18"	MP3202-457	4.08	
			609	24"	MP3202-609	6.43	
			914	36"	MP3202-914	7.08	
			1219	48"	MP3202-1219	9.1	
			1524	60"	MP3202-1524	11.11	
				1828	72"	MP3202-1828	13.12



Pneumatic Break Steel Part No. Rules

M P 22 01 -355

M	MAXDRILL	
P	Pneumatic Break Steel	
22	Shank Size	Hex.22mm, Hex.25mm, Hex.28mm, Hex.32mm
01	01	Head type point
	02	Head type chisel
355	Length	355mm-1828mm